

Material Safety Data Sheet

Toner Type: ODT-1

For Models: B401

B411 / 431

B840

MB441 / 451 / 451w MB461/471/471w/491

ES4131

ES8140

ES4161/4191

Oki Data Corporation

MATERIAL SAFETY DATA SHEET

1. Identification of the substance/mixture and of the company/undertaking

Product name : ODT-1

Code : KJE035 / 2 MRD

Chemical product name : Proprietary mixture.

Manufacturer : Oki Data Corporation

3-1 Futaba-cho Takasaki-shi Gunma 370-8585 JAPAN

Tel. 027-328-6366 Fax. 027-328-6396

Supplier : Oki (Europe) Ltd.

1 Oki Way, Wardpark, Cumbernauld G68 0FQ, SCOTLAND, UK

Tel. +44(0) 1236 502502

Emergency telephone numl : Tel. +44(0) 1236 5025

Emergency e-mail contact : MSDSQuestions@okieurope.com

Material uses : For electrophotographic printing systems

2. Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

Ingredients of unknown toxicity : Percentage of the mixture consisting of ingredient(s) of unknown toxicity

: 66.2%

Ingredients of unknown ecotoxicity : Percentage of the mixture consisting of ingredient(s) of unknown hazards to

the aquatic environment: 93.3%

Classification according to Directive 1999/45/EC [DPD]

The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : Not classified.

See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms :

Signal word : No signal word.

Hazard statements : No known significant effects or critical hazards.

Precautionary statements

Prevention : Not applicable.
Response : Not applicable.
Storage : Not applicable.
Disposal : Not applicable.

Hazardous ingredients :

Supplemental label : Safety Data Sheet available for professional user on request.

elements

2.3 Other hazards

Other hazards which do : Fine dust clouds may form explosive mixtures with air. Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose

and throat.

Date of issue: 01/06/2012 Page: 2/10

MATERIAL SAFETY DATA SHEET

3. Composition/information on ingredients

Substance / mixture : Mixture						
Product/ REACH				Classification		
ingredient name	Registration number	EC number	%	67/548/EEC	Regulation(EC) No. 1272/2008[CLP]	Туре
Carbon Black		215-609-9	1-5	Not classified.	Not classified.	[2]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

Occupational exposure limits, if available, are listed in section 8.

4. First aid measures

4.1 Description of first aid measures

Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check

for and remove any contact lenses. Get medical attention if irritation occurs.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention if symptoms occur.

Skin contact: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes.

Get medical attention if symptoms occur.

Ingestion : Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel.

Get medical attention if symptoms occur.

Protection of

first-aiders

No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact : Exposure to airborne concentrations above statutory or recommended exposure limits may cause

irritation of the eyes.

Inhalation : Exposure to airborne concentrations above statutory or recommended exposure limits may cause

irritation of the nose, throat and lungs.

Skin contact : No known significant effects or critical hazards.
Ingestion : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following : irritation redness

Inhalation : Adverse symptoms may include the following :

respiratory tract irritation coughing

Skin contact : No specific data. Ingestion : No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been

physician ingested or inhaled.

Specific : No specific treatment.

treatments

Date of issue: 01/06/2012 Page: 3/10

MATERIAL SAFETY DATA SHEET

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing

media

: Use dry chemical powder.

Unsuitable extinguishing

media

Do not use water jet.

5.2 Special hazards arising from the substance or mixture

Hazards from the

substance or mixture

Fine dust clouds may form explosive mixtures with air.

Hazardous combustion

Decomposition products may include the following materials : carbon dioxide

products

carbon monoxide

5.3 Advice for firefighters

Special precautions for

fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray

to keep fire-exposed containers cool.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus(SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European

standard EN 469 will provide a basic level of protection for chemical incidents.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate

surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on appropriate personal protective

equipment.

For emergency responders

If specialised clothing is required to deal with the spillage, take note of any information in

Section 8 on suitable and unsuitable materials. See also the information in "For non-

emergency personnel".

6.2 Environmental

precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and

sewers. Inform the relevant authorities if the product has caused environmental pollution

(sewers, waterways, soil, or air).

6.3 Methods and materials for containment and cleaning up

Small spill : Move containers from spill area. Vacuum or sweep up material and place in a designated,

labeled waste container. Use spark-proof tools and explosion-proof equipment. Dispose

of via a licensed waste disposal contractor.

Large spill : Move containers from spill area. Approach release from upwind. Prevent entry into

sewers, water, courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact

information and section 13 for waste disposal.

6.4 Reference to other

sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

Date of issue: 01/06/2012 Page: 4/10

MATERIAL SAFETY DATA SHEET

7. Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures

Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Do not store above the following temperature:40 (104' F). Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opend must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations
Industrial sector specific

Not available.
Not available.

8. Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

Product / ingredient name	Exposure limit values		
Europe			
Carbon black	ACGIH TLV (United States, 2/2010). TWA: 3,5 mg/m3 8 hour(s)		
Germany			
No exposure limit value known.			
Spain			
Carbon black	INSHT (Spain, 5/2010).		
	TWA: 3,5 mg/m3 8 hour(s)		

Recommended monitoring procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and / or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.

Derived effect levels

No DELs available.

Predicted effect concentrations

No PECs available.

Date of issue: 01/06/2012 Page: 5/10

MATERIAL SAFETY DATA SHEET

8.2 Exposure controls

Approriate engineering

controls

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Individual protection measures

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers

Eye / face protection

are close to the workstation location.
Safety eyawear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If operating conditions cause high dust concentrations to be produced, use dust goggles. Recommended: splash goggles, safety glasses with side-shields

Skin protection

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be won at all times when hadling chemical products if a risk assessment indicates this is

necessary. >8 hours (breakthrough time): natural rubber (latex)

Body protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling

this product. Recommended: overall, lab coat

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a

specialist before handling this product.

Respiratory protection

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be

necessary to reduce emissions to acceptable levels.

Remark

The penetration-time of the recommended gloves depend not only on the material. Also other factors may have influence on the penetration-time, as the thickness of them or the specific use or conditions (temperature). In any case, certificate materials (for example following EN 374) should be selected. Please ask your supplier, if the gloves are suitable for the intended use.

9. Physical and chemical properties

9.1 information on basic physical and chemical properties

Apperance

Physical state Solid. [Powder.]

Color Black. Odor Odorless. Not applicable. Not available. **Boiling point** Not available. Flash point Flammability (solid, gas) Not available. 1.2g/cm3 (20) Density

Solubility(ies) Insoluble in the following materials: cold water and hot water.

Explosive properties Explosive in the presence of the following materials or conditions: open flames, sparks

and static discharge.

9.2 Other information

No additional information.

Date of issue: 01/06/2012 Page: 6/10

MATERIAL SAFETY DATA SHEET

10. Stability and reactivity

10.1 Reactivity No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability The product is stable.

10.3 Possibolity of hazardous

reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Avoid the creation of dust when handling and avoid all possible sources of ignition (spark 10.4 Conditions to avoid

or flame). Take precautionary measures against electrostatic discharge. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation.

Reactive or incompatible with the following materials: 10.5 Incompatible materials

oxidizing materials

10.6 Hazardous

decomposition products

Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product / ingredient name	Result	Species	Dose	Exposure
Carbon black	LD50 Oral	Rat	>8000 mg/kg	-

Conclusion / Summary Not available.

Acute toxicity estimates

Not available.

Irritation /Corrosion

Not available. **Conclusion / Summary** Not available. Skin Not available. Eyes : Respiratory Not available.

Sensitizer

Not available **Conclusion / Summary** Not available. Skin Not available. Respiratory

Mutagenicity

Not available. **Conclusion / Summary**

Carcinogenicity

Conclusion / Summary Not available.

Reproductive toxicity

Not available. **Conclusion / Summary**

Teratogenicity

Not available. **Conclusion / Summary**

Specific target organ toxicity (single exposure)

Product / ingredient name	Category	Route of exposure	Target organs
Not available.			

Specific target organ toxicity (repeated exposure)

Product / ingredient name	Category	Route of exposure	Target organs
Not available.			

Aspiration hazard

Product / ingredient name	Result
Not available.	
Information on the likely :	Not available.

Information on the likely

routes of exposure

Date of issue: 01/06/2012 Page: 7/10

MATERIAL SAFETY DATA SHEET

Potential acute health effects

Inhalation : Exposure to airborne concentrations above statutory or recommended exposure limits

may cause irritation of the nose, throat and lungs.

Ingestion : No known significant effects or critical hazards.

Skin contact : No known significant effects or critical hazards.

Eye contact : Exposure to airborne concentrations above statutory or recommended exposure limits

may cause irritation of the eyes.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Ingestion : No specific data.
Skin contact : No specific data.

Eye contact : Adverse symptoms may include the following:

irritation redness

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate : Not available.
Potential delayed effects : Not available.

Long term exposure

Potential immediate : Not available.
Potential delayed effects : Not available.

Potential chronic health effects

Not available.

Conclusion / Summary : Not available.

General : Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Interactive effects : Not available.

Absorption : Not available.

Distribution : Not available.

Metabolism : Not available.

Elimination : Not available.

Other information : Not available.

12. Ecological information

12.1 Toxicity

Product / ingredient name	Result	Species	Exposure
Carbon black	Acute EC50 > 10000 mg/l	Algae	72hours
	Acute LC50 > 1000mg/l	Fish	96hours

Conclusion / Summary : Not available.

12.2 Persistence and degradability

Conclusion / Summary : Not available.

12.3 Bioaccumulative potential

Not available.
12.4 Mobility in soil

Soil / water partition : Not available.

coefficient (Koc)

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable. vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

Date of issue: 01/06/2012 Page: 8/10

MATERIAL SAFETY DATA SHEET

13. Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal : The generation of waste should be avoided or minimized wherever possible.

Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority

requirements.

Hazardous waste : Within the present knowledge of the supplier, this product is not regarded as hazardous

waste, as defined by EU Directive 91/689/EEC.

Packaging

Methods of disposal : The generation of waste should be avoided or minimized wherever possible.

Waste packaging should be recycled. Incineration or landfill should only be considered

when recycling is not feasible.

Special precautions : This material and its container must be disposed of in a safe way. Empty containers or

liners may retain some product residues. Avoid dispersal of spilled material and runoff

and contact with soil, waterways, drains and sewers.

14. Transport information

INTERNATIONAL REGULATIONS

UN CLASS/UN NUMBER : Not applicable.

	ADR / RID	ADN / ADNR	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
Additional information	-	-	-	-

15. Regulatory information

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

Substances of very high concern

None of the components are listed.

Other EU regulations

Germany

Hazard class for water : 2 Appendix No.4

AOX : The product contains organically bound halogens and can contribute to

the AOX value in waste water.

International regulations

Registration status : Australia (AICS)

China (IECSC) Canada (NDSL)

European Union (EINECS or ELINCS)

Japan (ENCS) Philippines (PICCS) United States (TSCA)

15.2 Chemical Safety

Assessment

This product contains substances for which Chemical Safety Assessments are still

required.

Date of issue: 01/06/2012 Page: 9/10

MATERIAL SAFETY DATA SHEET

16. Other information

Abbreviations and acronyms

ATE=Acute Toxicity Estimete

CLP=Classification, Labelling and Packaging Regulation [Regulation (EC) No.1272 / 2008]

DNEL=Derived No Effect Level

EUH statement = CLP-specific Hazard statement PNEC = Predicated No Effect Concentration RRN = REACH Registration Number

Procedure used to derive the classification according to Regulation (EC) No. 1272 / 2008 [CLP / GHS]

Classification	Justification
Not classified.	

Europe

Full text of abbreviated H

Not applicable.

statements

Full text of classifications

Not applicable.

[CLP / GHS]

Full text of abbreviated R

Not applicable.

phrases

Full text of classifications

[DSD / DPD]

Not applicable.

Date of printing

: 10 / 03 / 2011

Date of issue / Date of

revision

10 / 03 / 2011

Version : 2

Form : Iss SDS GHS Europe (EU) REACH Annex II (Reg 453 / 2010) / CLP V4.2 - Europe

Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. it is not to be considered a guarantee of the product's properties.

Date of issue: 01/06/2012 Page: 10/10