

**Product  
Company  
Mill**

**IQ COLOR (INTENSIVE)  
MONDI  
Mondi Neusiedler GmbH (Kematen mill)**

Information gathered from **01/2022** to **12/2022**

Date of Issue: 24.01.2024

**Environmental product declaration for paper**

**Environmental Management**

**Certified environmental management system** (at the mill since) **ISO 14001 (1995)**

**Company systems ensure traceability of the origin of wood:** **YES**

Mondi attaches great importance to the sustainability of the supply of wood, fiber and the environment from which these forest products are harvested. All fibres used for production are certified/controlled according to the requirements of the FSC® and PEFC(TM) COC standards.

**Environmental parameters**

The figures are based on methods and procedures of measurement approved by the local (or national) environment regulators at the production site. The figures include both paper and pulp production.

<b>Water</b>	<b>COD</b>	7,582 kg/tonne
	<b>AOX</b>	0,009 kg/tonne
	<b>N<sub>tot</sub></b>	0,123 kg/tonne
	<b>P<sub>tot</sub></b>	0,015 kg/tonne

<b>Air</b>	<b>SO<sub>2</sub></b>	0,160 kg/tonne
	<b>NO<sub>x</sub></b>	0,937 kg/tonne
	<b>CO<sub>2</sub> (fossil)</b>	473,9 kg/tonne


**Solid waste landfilled**

16,3 BDkg/tonne

**Purchased electricity consumption**

529,2 kWh/tonne

**Product composition**



LEGEND

Fibre	Fillers & Pigments
Moisture	Binders & Others
Recycling content	Fibre from Grass

This product contains biomass carbon, equivalent to 1.200 kg of CO<sub>2</sub> per tonne of paper.

**More Information**

**Contact:** Technical Customer Service

**Address:** Mondi Neusiedler GmbH

**E-mail:** neusiedler.tcs@mondigroup.com

**www.mondigroup.com**

Remarks: Calculations are based on the average combination of pulps used for production.

**Product  
Company  
Mill**

**IQ COLOR (trend)  
MONDI  
Mondi Neusiedler GmbH (Kematen mill)**

Information gathered from **01/2022** to **12/2022**

Date of Issue: 24.01.2024

**Environmental product declaration for paper**

**Environmental Management**

**Certified environmental management system** (at the mill since) ISO 14001 (1995)

**Company systems ensure traceability of the origin of wood:** YES

Mondi attaches great importance to the sustainability of the supply of wood, fiber and the environment from which these forest products are harvested. All fibres used for production are certified/controlled according to the requirements of the FSC® and PEFC(TM) COC standards.

**Environmental parameters**

The figures are based on methods and procedures of measurement approved by the local (or national) environment regulators at the production site. The figures include both paper and pulp production.

<b>Water</b>	<b>COD</b>	7,558 kg/tonne
	<b>AOX</b>	0,009 kg/tonne
	<b>N<sub>tot</sub></b>	0,123 kg/tonne
	<b>P<sub>tot</sub></b>	0,015 kg/tonne

<b>Air</b>	<b>SO<sub>2</sub></b>	0,160 kg/tonne
	<b>NO<sub>x</sub></b>	0,935 kg/tonne
	<b>CO<sub>2</sub> (fossil)</b>	473,6 kg/tonne


**Solid waste landfilled**

16,3 BDkg/tonne

**Purchased electricity consumption**

528,4 kWh/tonne

**Product composition**



LEGEND

Fibre	Fillers & Pigments
Moisture	Binders & Others
Recycling content	Fibre from Grass

This product contains biomass carbon, equivalent to 1.196 kg of CO<sub>2</sub> per tonne of paper.

**More Information**

**Contact:** Technical Customer Service

**Address:** Mondi Neusiedler GmbH

**E-mail:** neusiedler.tcs@mondigroup.com

**www.mondigroup.com**

Remarks: Calculations are based on the average combination of pulps used for production.

**Product  
Company  
Mill**

**IQ COLOR (PALE)  
MONDI  
Mondi Neusiedler GmbH (Kematen mill)**

Information gathered from **01/2022** to **12/2022**

Date of Issue: 24.01.2024

## Environmental product declaration for paper

### Environmental Management

**Certified environmental management system** (at the mill since) ISO 14001 (1995)

**Company systems ensure traceability of the origin of wood:** YES

Mondi attaches great importance to the sustainability of the supply of wood, fiber and the environment from which these forest products are harvested. All fibres used for production are certified/controlled according to the requirements of the FSC® and PEFC(TM) COC standards.

### Environmental parameters

The figures are based on methods and procedures of measurement approved by the local (or national) environment regulators at the production site. The figures include both paper and pulp production.

<b>Water</b>	<b>COD</b>	7,383 kg/tonne
	<b>AOX</b>	0,009 kg/tonne
	<b>N<sub>tot</sub></b>	0,121 kg/tonne
	<b>P<sub>tot</sub></b>	0,015 kg/tonne

<b>Air</b>	<b>SO<sub>2</sub></b>	0,156 kg/tonne
	<b>NO<sub>x</sub></b>	0,915 kg/tonne
	<b>CO<sub>2</sub> (fossil)</b>	471,2 kg/tonne


### Solid waste landfilled

15,9 BDkg/tonne

### Purchased electricity consumption

522,0 kWh/tonne

### Product composition



LEGEND

Fibre	Fillers & Pigments
Moisture	Binders & Others
Recycling content	Fibre from Grass

This product contains biomass carbon, equivalent to 1.166 kg of CO<sub>2</sub> per tonne of paper.

### More Information

**Contact:** Technical Customer Service

**Address:** Mondi Neusiedler GmbH

**E-mail:** neusiedler.tcs@mondigroup.com

**www.mondigroup.com**

Remarks: Calculations are based on the average combination of pulps used for production.

**Product  
Company  
Mill**

**IQ COLOR (BLACK)  
MONDI  
Mondi Neusiedler GmbH (Kematen mill)**

Information gathered from **01/2022** to **12/2022**

Date of Issue: 24.01.2024

**Environmental product declaration for paper**

**Environmental Management**

**Certified environmental management system** (at the mill since) **ISO 14001 (1995)**

**Company systems ensure traceability of the origin of wood:** **YES**

Mondi attaches great importance to the sustainability of the supply of wood, fiber and the environment from which these forest products are harvested. All fibres used for production are certified/controlled according to the requirements of the FSC® and PEFC(TM) COC standards.

**Environmental parameters**

The figures are based on methods and procedures of measurement approved by the local (or national) environment regulators at the production site. The figures include both paper and pulp production.

<b>Water</b>	<b>COD</b>	8,299 kg/tonne
	<b>AOX</b>	0,012 kg/tonne
	<b>N<sub>tot</sub></b>	0,132 kg/tonne
	<b>P<sub>tot</sub></b>	0,017 kg/tonne

<b>Air</b>	<b>SO<sub>2</sub></b>	0,180 kg/tonne
	<b>NO<sub>x</sub></b>	1,047 kg/tonne
	<b>CO<sub>2</sub> (fossil)</b>	488,1 kg/tonne


**Solid waste landfilled**

18,7 BDkg/tonne

**Purchased electricity consumption**

552,1 kWh/tonne

**Product composition**



This product contains biomass carbon, equivalent to 1.351 kg of CO<sub>2</sub> per tonne of paper.

**More Information**

**Contact:** Technical Customer Service  
**Address:** Mondi Neusiedler GmbH  
**E-mail:** neusiedler.tcs@mondigroup.com  
**www.mondigroup.com**

Remarks: Calculations are based on the average combination of pulps used for production.

**Product  
Company  
Mill**

**IQ COLOR (NEON)  
MONDI  
Mondi Neusiedler GmbH (Kematen mill)**

Information gathered from **01/2022** to **12/2022**  
Date of Issue: 24.01.2024

**Environmental product declaration for paper**

**Environmental Management**

**Certified environmental management system** (at the mill since) **ISO 14001 (1995)**  
**Company systems ensure traceability of the origin of wood:** **YES**

Mondi attaches great importance to the sustainability of the supply of wood, fiber and the environment from which these forest products are harvested. All fibres used for production are certified/controlled according to the requirements of the FSC® and PEFC(TM) COC standards.

**Environmental parameters**

The figures are based on methods and procedures of measurement approved by the local (or national) environment regulators at the production site. The figures include both paper and pulp production.

**Water**

<b>COD</b>	6,391 kg/tonne
<b>AOX</b>	0,031 kg/tonne
<b>N<sub>tot</sub></b>	0,099 kg/tonne
<b>P<sub>tot</sub></b>	0,022 kg/tonne

**Air**

<b>SO<sub>2</sub></b>	0,169 kg/tonne
<b>NO<sub>x</sub></b>	1,142 kg/tonne
<b>CO<sub>2</sub> (fossil)</b>	506,8 kg/tonne


**Solid waste landfilled**

21,1 BDkg/tonne

**Purchased electricity consumption**

449,6 kWh/tonne

**Product composition**



This product contains biomass carbon, equivalent to 1.299 kg of CO<sub>2</sub> per tonne of paper.

**More Information**

**Contact:** Technical Customer Service  
**Address:** Mondi Neusiedler GmbH  
**E-mail:** neusiedler.tcs@mondigroup.com  
**www.mondigroup.com**

Remarks: Calculations are based on the average combination of pulps used for production.