Product Name : RICOH/Nashuatec/Rex-Rotary/Gestetner Print Cartridge Yellow MP C3503 (Yellow toner) MSDS Number : 841818 Date Prepared : 01/04/2013 Date Modified : 01/08/2014 Date : 21/04/2016



Safety Data Sheet (ISO form)

1. Product and Company Identification

Product Name	:RICOH/Nashuatec/Rex-Rotary/Gestetner Print Cartridge Yellow MP C3503
	(Yellow toner)
General Use	The Image Formation of Printing Machine or Copier
MSDS Number	:841818
Company Name	:Ricoh Company,Ltd.
Department	Safety Engineering Department, Quality Management Division
Address	:146–1 Nishisawada, Numazu–shi, Shizuoka–ken, 410–0007 Japan
Telephone Number	:055–920–1470, Japan
Telefax Number	:055–920–1479, Japan
E-mail	:msdsinfo@nts.ricoh.co.jp
	formation on Ingreadiante

2.Composition/Information on Ingredients

Substance or Preparation

Preparation Chemical Nature

Ingredients	Chemical Formula	CAS.No.	Contents(%)
Polyester Resin	Confidential	Confidential	60-90
Wax	Confidential	Confidential	1-20
Organic Pigment	Confidential	Confidential	1-20
Titan Oxide	TiO2	13463-67-7	0.1-1
Silica	O2Si	7631-86-9	<10

This product does not contain any of the following substances as ingredients. Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), SVHC (substances of very high concern: published by ECHA). And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

Hazardous Ingredients Information
Chemical Name : Titan OxideCAS Number: 13463-67-7OSHA Z-Tables (USA): 15mg/m3NTP (USA): Not listedSymbol (EU): Not listedDFG-MAK (GER): Not listedCalifornia Proposition 65 (USA): Listed

EEC Number	: 236-675-5
ACGIH-TLV	: 10mg/m3
IARC Monographs	: Group 2B
R-Phrase (EU)	: Not listed
OELs-TWA (Australia)	: 10mg/m3

3. Hazards Identification

The Most Important Hazards Adverse Human Health Effects There are no significant hazards expected with intended use. Environmental Effects There are no significant hazards expected with intended use. Physical and Chemical Hazards There are no significant hazards expected with intended use. Specific Hazards Dust explosion (like most finely grained organic powders)

Main Symptoms Acute Inhalation Toxicity Exposure to excessive amount of dust may cause physical irritation to respiratory tract. Acute Oral Toxicity Low acute toxicity in animal experiment. Acute Eye Irritation

May cause slight transient irritation.

Acute Skin Irritation

May be non-irritant.

Sensitization

From test no apparent significant hazards are expected . (Only few cases reported on incidental allergy-related conjunctivitis or dermatitis.)

Chronic Effect

Slight pulmonary fibrosis has been reported in rats upon chronic inhalation exposure to a toner at 4mg/m3 every day for 2 years. No pulmonary change was found at 1mg/m3. These findings show that exposure to excessive amounts of powder may cause damage to lungs. However, normal use and handling of this product as intended, does not result in inhalation of excessive amounts of powder.

Carcinogenicity

Titanium dioxide contained in this product are classified to Group 2B of IARC as the result of inhalation test in use of rat.

But oral/skin test does not show carcinogenicity.

In the animal experiment with very high concentration of titanium dioxide (excessive burden of rat's lungs clearance mechanism (overload phenomenon)), the rat alone showed lung tumor. Under a normal use practice, the concentration should be far lower than the above; and it is assumed that there is no such use.

Also, relation between respiratory disease and work exposure of titanium dioxide is not observed with epidemiological survey.

The Classification of The Chemical Product

This preparation is not classified as dangerous according to Directive 1999/45/EC.

4.First-Aid Measures

Inhalation

Remove from exposure to fresh air and rinse mouth with water. Seek medical advice. Skin $\ensuremath{\mathsf{Contact}}$

Wash thoroughly with soapy water.

Eye Contact

Flush with a large amount of water until particle is removed. Seek medical advice. Ingestion

Drink several glasses of water to dilute ingested toner. Seek medical advice. Notes to a physician

Not applicable

5.Fire-Fighting Measures

Extinguishing Media

CO2, dry chemicals, foam or water. Extinguishing Media to Avoid

Not applicable Specific Hazards

Can form explosive dust-air mixtures when finely dispersed in air. Specific Method

No special fire protecting method is required. Sprinkling or fire extinguishers can be used. Protection of Fire-fighters

Wear gloves, glasses, a mask if necessary.

6.Accidental Release Measures Personal Precautions

Do not breathe in dust. Environment Precautions Do not flush into sewers or watercourses. Methods for Cleaning Up

> Fine powder may form explosive dust-air mixture. Confirm there is no source of fire and if there is a source, remove it. Sweep up spilled powder slowly and clean remainder with wet cloth. If a vacuum cleaner is used, a dust explosion-proof type must be chosen.

7.Handling and Storage

Handling
Technical Measures/Precautions
Not applicable
Safe Handling Advice
Do not handle in areas where there is wind or draught, this may cause dust to get into eyes. Avoid breathing in dust.
Storage
Technical Measures
Not applicable
Storage Conditions
Keep out of reach of children.
Store in dry, well-ventilated area, to maintain quality the temperature should not exceed $35^\circ\! ext{C}$ for a
long time. Avoid direct sunlight.
Packaging Material
Not applicable
Specific Use(s)
Image formation in printing machines or copiers.

8.Exposure Controls/Personal Protection Technical Measures

Use adequate ventilation. None required with intended use.

Control Parameters USA OSHA PEL (TWA) : 15mg/m3 (Total dust) 5.0mg/m3 (Respirable fraction) 3.0mg/m3 (Respirable fraction) 1.5mg/m3 (Respirable fraction) ACGIH TLV (TWA) : 10mg/m3 (Inhalable fraction) DFG MAK : 4.0mg/m3 (Total dust) Personal Protection **Respiratory Protections** None required in normal use. If the limit of exposure concentration is exceeded, use authorised respirator. Hand Protection Use vinyl or rubber gloves if necessary. Eye Protection Put on goggles if necessary. Skin and Body Protection Wear chemical-resistant apron or other impervious clothing if necessary. **Hygiene Measures** Wash hands after handling

9. Physical and Chemical Properties

AppearancePhysical State: SolidForm: PowderColour: YellowOdour: Sligthly plastic odour

Information pH : Not applicable Specific Temperatures/Temperature Ranges at Which Changes in Physical State Occur Boiling Point (degrees centigrade) : Not applicable Melting Point (degrees centigrade) : (Softening point) Approx.90 Decomposition Temperature (degrees centigrade) Flash Point (degrees centigrade) Explosion Properties (degrees centigrade) : Not available

: Not applicable

: This product is considered a nonexplosive material under normal use.

Vapor Pressure (Pa) : Not applicable Vapor Density(AIR=1) : Not applicable Density (g/cm3) : Approx.1.2 Measuring Temp (degrees centigrade) : 25

Solubility Water Solubility (g/L) : Insoluble Chloroform Solubility (g/L) : Slightly soluble Octanol/Water Partition Coefficient Not available Other Information

Flammability	: Not flammable
Viscosity (Pa•s)	: Not applicable
Volatile (%)	: 0.2 or below

10.Stability and Reactivity

Stability Stable Hazardous Reaction Dust explosion, like most finely grained organic powders.

Conditions to Avoid Not applicable in normal use. Materials to Avoid Not applicable in normal use condition. Hazardous Decomposition Products Decomposition products will not occur.

11.Toxicological Information

Acute Toxicity Acute Oral Toxicity (LD50): 5000 or over [mg/kg] (Rat) Acute Dermal Toxicity : Not available Acute Inhalation Toxicity : Not applicable (Based on other Ricoh products test results of similar ingredients.) Local effects Acute Skin Irritation(PII) : 1.0 or below (Rabbit) (Based on other Ricoh products test results of similar ingredients.) Acute Eye Irritation : Non-irritant (Rabbit) (Based on other Ricoh products test results of similar ingredients.) Sensitization Acute Allergenic Effects : Non-skinsensitive (Mouse) (Based on other Ricoh products test results of similar ingredients.) Specific Effects Carcinogenicity : Titanium dioxide contained in this product are classified to Group 2B of IARC as the result of inhalation test in use of rat. But oral/skin test does not show carcinogenicity. In the animal experiment with very high concentration of titanium dioxide (excessive burden of rat's lungs clearance mechanism (overload phenomenon)), the rat alone showed lung tumor. Under a normal use practice, the concentration should be far lower than the above; and it is assumed that there is no such use.

Also, relation between respiratory disease and work exposure of titanium dioxide is not observed with epidemiological survey.

Mutagenicity : Negative (Ames test) Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health.

12.Ecological Information

Mobility: No data are available on the adverse effect one environment.Persistence/Degradability: Not availableBioaccumulation: Not available

Ecotoxicity	
Acute Toxicity for Fish (LC50)	: Not classified as toxic (EU Directive 1999/45/EC)
Acute Toxicity for Daphnia	: Not classified as toxic (EU Directive 1999/45/EC)
(EC50)	
Algae Inhibition Test (IC50)	: Not classified as toxic (EU Directive 1999/45/EC)

13.Disposal Consideration

General information: Dispose of waste and residues in accordance with local authority requirements Disposal methods: Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations. Precautions: Do not throw the toner cartridge or toner into an open flame. The hot toner may scatter and cause burns or other damage.

14.Transport Information

International Regulati	ons
Land Transport	
RID/ADR	: Not applicable
DOT 49 CFR	: Not applicable
ADNR	: Not applicable
Sea Transport	
IMDG Code	: Not applicable
Air Transport	
ICAO-TI/IATA-DGR	
The UN Class	ification Number : Not applicable
Class	: Not applicable
Specific Precautionary Transport Measures and conditions Avoid direct sunlight in quality.	
Avolu ul ect sumgrit	in quality.

15.Regulatory Information

Regulations **EU** Information Information on the label (1999/45/EC and 67/548/EEC) Symbols & : Not required Indications R-Phrase : Not required S-Phrase : Not required Special Precautions under 1999/45/EC Annex V : Not required 76/769/EEC This product complies with applicable rules and regulations under 76/769/EEC 304/2003/EC Not regulated US Information Information on the label : Not required TSCA (Toxic Substances Control Act) : This product complies with all applicable rules and regulations under TSCA. SARA Title III 313 Reportable Ingredients : Not regulated California Proposition 65: Not regulated Canada Information WHMIS Controlled product : Not a controlled product

16.Other Information

NFPA Hazard Rating: National Fire Protection Agency (USA)

Health ; 1, Flammability ; 1, Reactivity ; 0 HMIS Rating : The National Paint and Coating Association (USA)

Health ; 1, Flammability ; 1, Reactivity ; 0

Literature References : ANSI Z400.1-1993 ISO 11014-1 IARC (1996) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon, pp149-261

H. Muhle, B. Bellman, O. Creutzenberg, C. Dasenbrock, H. Emst, R. Kilpper, J.C. MacKenzie, P. Morrow, U. Mohr, S. Takenaka and R. Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" Fundamental and Applied Toxicology 17, pp 280–299

IARC (2008) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.93" $\ddot{}$

NIOSH CURRENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for Occupational Exposure to Titanium Dioxide DRAFT"

ACGIH-TLV	: Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
OSHA Z-Table	
NTP (USA)	: US Department of Health and Human Services National Toxicology Program
	Annual Report on Carcinogens
DFG-MAK	DFG List of MAK and BAT Value
Symbol (EC)	: Regulation (EC)No.1272/2008
91/155/ EEC	: EU Directive 91/155/ EEC
1999/45/EC	: EU Directive 1999/45/EC
CLP (EC)No.12	72/2008 : Regulation (EC)No.1272/2008 of the European Parliamant and of the Council of 16 December 2008 on classification, labelling and packaging of substances
	and mixtures, amending and repealing Directive 67/548/EEC and 1999/45/EC.
	and amending Regulation (EC)No. 1907/2006
EC 304/2003	: Regulation (EC) No 304/2003 of the European Parliament and of the Council
	of 28 January 2003 concerning the export and import of dangerous chemicals
	ed product : Canada Workplace Hazardous Information System
OELs-TWA (Au	
ALL	Contaminants in the Occupational Environment [NOHSC: 3008 (1995)]
Abbreviation	
OSHA PEL ACGIH-TLV	PEL (Permissible Exposure Limit) under Occupational Safety and Health Act TLV (Threshold Limit Values) under American Conference of Governmental Industrial
ACGINTILV	Hygienists
REACH	(EC)No.1907/2006:Council Regulation concerning the Registration, Evaluation,
	Authorization and Restriction of Chemicals
SVHC	Substances of Very High Concern
ECHA	The European Chemicals Agency
DFG-MAK	MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft
RoHS	Restriction of the use of certain Hazardous Substances in Electrical and Electronic
T\A/A	Equipment
TWA	Time Weighted Average
IARC	nternational Agency for Research on Cancer
NTP	National Toxicology Program
WHMIS	Workplace Hazardous Information System
NOHSC	National Occupational Health and Safety Commission Act 1985

Disclaimer :

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of RICOH COMPANY, LTD.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

RICOH COMPANY, LTD assumes no legal responsibility for use or reliance upon this information.