Material Safety Data Sheet

1. Item and supplier information

Item	Compatible DYMO LT series label tape
Manufactory	Zhuhai Boyeezon Technology Co., Ltd
Address	No. 2, ShengLi Road, Sanzao, Zhuhai, Guangdong, China,
Phone	0756-8188906

2. Component identification data

Ingredients	CAS.NO	Weight(%)	Hazard
			classification
ABS Resins	9003-56-9	41.9	N/D
Thermal Paper	9004-34-6	26.1	N/D
Adhesive (acrylic adhesive)	9003-01-4	8.5	N/D
Backing Paper (Silicon paper)	9004-34-6	22	N/D
Plastic Packing Bag (PE polyethylene)	9002-88-4	1.5	N/D

3. Hazard identification data

	Health hazard	Acute: N/D	Chronic: N/D
Most important	Environment Effects	N/D	
hazards and effects	Material and chemical hazards	N/D	
	Special hazard	N/D	
The main	N/D		
symptoms	N/D		
Item hazard classification	N/D		

Zhuhai Boyeezon Technology Co., Ltd

4. First-aid

	Inhalation	The adhesive of the product has a certain smell, but no health hazard
Entering workers,	Skin	NO health hazard
Physical Dangers and	contact	
Rescue Methods	Eyes	No Health Hazard
	contact	
	Devour	A small amount of swallowing has no health hazards.
		If a large amount of food is swallowed, the plastic
		will not be digested and discharged.
Important symptoms	N/D	
and harmful effects		
First-aid Protection	N/D	
Tips from Physicians	N/D	

5. Fire Emergency Rescues

Fire extinguishing material	Chemical dry powder, carbon dioxide, foam, dry powder, water
Special Firefighting	N/D
procedure	
Encounter special	N/D
hazards from Fire	
Special firefighter	Appropriate protective gear should be worn to avoid inhaling
protection	fumes that may be harmful

6. Leakage Solution

Personal	N/D
considerations	
Environmental	N/D
considerations	
Cleaning methods	N/D

7. Safe disposal and Storage method

Handling	Keep away from heat and fire	
Storage	Keen in dry gool place and avoid direct auplight	
Precautions	Keep in dry, cool place and avoid direct sunlight	
	(recommended temperature 5-35°C)	

Zhuhai Boyeezon Technology Co., Ltd

8. Exposure Prevention

Engineering Controls	N/D		
Personal	Inhalation	N/D	
Protections	Skin protection	N/D	
	Hand protection	N/D	
	Eyes protection	N/D	
Hygiene measures	General ventilation or local exhaust equipment		

9. Physical and Chemical Properties

Material State	Solid	Sense	No irritating smell	
Boiling Point	N/A	volatilization rate	N/A	
Vapor pressure	N/A	solubility	N/A	
Vapor density	N/A	insoluble	N/A	
Acid-base	N/A	Viscosity	N/A	
Melting point	N/A	Viscosity	Square shape, internal label into a roll	
Color		The shell is usually gray or black, and the label color is various (white, yellow, black, gold, silver, blue, green, red, transparent, etc.		

10. Stability and Reactivity

Stability	Stability	Avoid	N/A
Hazard(Polymer)	NONE	Hazard(Decomposition)	Carbon monoxide, carbon dioxide, carbon and hydrogen, water

11. Toxic Information

Acute Toxicity	N/D	Chronic Toxicity	N/D
Sensitization	N/D	Long-term Toxicity	N/D
Effects	N/D	Special Effects	N/D

Address: No. 2, ShengLi Road, Sanzao, Zhuhai, Guangdong, China,

Zhuhai Boyeezon Technology Co., Ltd

12. Ecological Information

Possible environmental impacts/ environments		
Volatile Organic Compound N/D		
Residual water or solvent	N/A	

13. Disposal methods

D: 1 (1 1	D (1 6
Disposal method	Burn them after usage
- Diopocai metrica	Built them died deage

14. Transportation Information

International Shipping Regulations	N/D	Domestic Shipping Regulations	N/D
Special shipping methods and precautions	N/D		

15. Regulatory Information

Applicable	No Specific Regulations
regulations	

16. Others

None

4