

EU Type Examination Certificate

This is to certify that:

3M United Kingdom Plc
3M Centre
Cain Road
Bracknell
RG12 8HT
United Kingdom

Holds Certificate Number:


CE 773240

In respect of:

Personal hearing protection to EN 352-2:2020 - Earplugs
Models: E-A-R™ Express™, E-A-R™ Push-Ins™ and No-Touch™

on the basis that BSI carried out the relevant Type Examination procedures under the requirements with the Regulation (EU) 2016/425 of the European Parliament and Council relating to Personal Protective Equipment Regulation (PPE) Annex V (Module B) and meets the relevant health and safety requirements specified in Annex II

For and on behalf of BSI, a Notified
Body for the above Regulation
(Notified Body Number 2797):


Graeme Tunbridge, Senior Vice President Global Regulatory & Quality

First Issued: 2022-11-01
Latest Issue: 2024-10-11

Effective Date: 2024-10-11
Expiry Date: 2027-10-31

Page: 1 of 6



EU Type Examination Certificate

No. CE 773240

Product Specification

Product Name: 3M™ Push-To-Fit Earplugs
Product Type: Hearing Protectors – Earplugs
Models: E-A-R™ Express™ (corded and uncorded)
E-A-R™ Push-Ins™ (corded and uncorded)
No-Touch™ (corded)

Technical Specification: Harmonized European Standard EN 352-2:2020

Product Description: These earplugs are designed to be inserted into the ear canal to protect against hazardous noise and loud sounds. The Express and Push-Ins have been approved for both two-hand and one-hand fitting. The No-Touch has been assessed for two-hand fitting only.

EN 352-2 Classification: Disposable

First Issued: 2022-11-01
Latest Issue: 2024-10-11

Effective Date: 2024-10-11
Expiry Date: 2027-10-31

EU Type Examination Certificate

No. CE 773240

Model : Express (corded and uncorded)

Attenuation values - Two-hand insertion technique

Test Frequency f (Hz)	63	125	250	500	1000	2000	4000	8000
Mean Attenuation Value MV (dB)	27.8	24.1	27.3	26.7	29.1	35.3	38.0	39.7
Standard Deviation SD (dB)	5.5	5.2	5.0	4.8	5.0	3.3	4.4	3.5
Assumed Protection Value APV _f (dB) (APV _f = MV-SD)	22.3	18.9	22.3	21.9	24.1	32.0	33.6	36.2

High, Medium and Low Frequency Attenuation Values and Single Number Rating

Value	MV (dB)	SD (dB)	APV (dB)
High Frequency Attenuation Value (H)	34.3	3.3	31
Medium Frequency Attenuation Value (M)	29.2	4.2	25
Low Frequency Attenuation Value (L)	27.2	4.4	23
Single Number Rating (SNR)	32.2	3.8	28

Attenuation values - One-hand insertion technique

Test Frequency f (Hz)	63	125	250	500	1000	2000	4000	8000
Mean Attenuation Value MV (dB)	26.4	22.4	25.8	25.6	28.9	35.3	37.4	39.1
Standard Deviation SD (dB)	5.8	3.9	4.5	3.6	4.8	4.3	3.6	3.6
Assumed Protection Value APV _f (dB) (APV _f = MV-SD)	20.6	18.5	21.3	22.0	24.1	31.0	33.8	35.5

High, Medium and Low Frequency Attenuation Values and Single Number Rating

Value	MV (dB)	SD (dB)	APV (dB)
High Frequency Attenuation Value (H)	34.3	3.5	31
Medium Frequency Attenuation Value (M)	28.7	3.8	25
Low Frequency Attenuation Value (L)	26.2	3.7	23
Single Number Rating (SNR)	31.8	3.6	28

Sizing

Nominal Diameter: Smallest – 7 mm Largest – 12 mm

First Issued: 2022-11-01

Latest Issue: 2024-10-11

Effective Date: 2024-10-11

Expiry Date: 2027-10-31

Page: 3 of 6

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

EU Type Examination Certificate

No. CE 773240

Model : Push-Ins (corded and uncorded)

Attenuation values - Two-hand insertion technique

Test Frequency f (Hz)	63	125	250	500	1000	2000	4000	8000
Mean Attenuation Value MV (dB)	35.5	31.3	35.3	36.5	35.7	37.8	39.4	40.4
Standard Deviation SD (dB)	5.0	4.4	5.0	4.9	4.2	4.5	3.2	3.9
Assumed Protection Value APV _f (dB) (APV _f = MV-SD)	30.5	26.9	30.3	31.6	31.5	33.3	36.2	36.5

High, Medium and Low Frequency Attenuation Values and Single Number Rating

Value	MV (dB)	SD (dB)	APV (dB)
High Frequency Attenuation Value (H)	37.6	3.4	34
Medium Frequency Attenuation Value (M)	36.2	3.9	32
Low Frequency Attenuation Value (L)	35.3	4.3	31
Single Number Rating (SNR)	38.0	3.5	35

Attenuation values - One-hand insertion technique

Test Frequency f (Hz)	63	125	250	500	1000	2000	4000	8000
Mean Attenuation Value MV (dB)	30.3	27.9	31.6	31.4	32.0	36.1	37.9	38.9
Standard Deviation SD (dB)	5.7	4.6	4.3	5.2	5.2	3.0	4.6	5.1
Assumed Protection Value APV _f (dB) (APV _f = MV-SD)	24.6	23.3	27.3	26.2	26.8	33.1	33.3	33.8

High, Medium and Low Frequency Attenuation Values and Single Number Rating

Value	MV (dB)	SD (dB)	APV (dB)
High Frequency Attenuation Value (H)	35.2	3.2	32
Medium Frequency Attenuation Value (M)	32.4	4.2	28
Low Frequency Attenuation Value (L)	31.2	4.2	27
Single Number Rating (SNR)	34.7	3.6	31

Sizing

Nominal Diameter: Smallest – 7 mm Largest – 12 mm

First Issued: 2022-11-01

Latest Issue: 2024-10-11

Effective Date: 2024-10-11

Expiry Date: 2027-10-31

Page: 4 of 6

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

EU Type Examination Certificate

No. CE 773240

Model : No-Touch (corded)

Attenuation values - Two-hand insertion technique

Test Frequency f (Hz)	63	125	250	500	1000	2000	4000	8000
Mean Attenuation Value MV (dB)	34.3	29.3	33.3	34.3	34.3	37.0	45.2	48.1
Standard Deviation SD (dB)	5.5	3.9	4.6	5.5	4.9	3.4	4.6	4.2
Assumed Protection Value APV _f (dB) (APV _f = MV-SD)	28.8	25.4	28.7	28.8	29.4	33.6	40.6	43.9

High, Medium and Low Frequency Attenuation Values and Single Number Rating

Value	MV (dB)	SD (dB)	APV (dB)
High Frequency Attenuation Value (H)	38.1	3.0	35
Medium Frequency Attenuation Value (M)	34.6	3.7	31
Low Frequency Attenuation Value (L)	33.2	3.9	29
Single Number Rating (SNR)	37.3	3.2	34

Sizing
Nominal Diameter: Smallest – 6 mm Largest – 14 mm

Packaged variants

In addition to the products referenced on this Certificate the standard industrial products may also be sold as market specific packaged variants. Such variants will be differentiated, and the Technical File(s) will be updated with the appropriate information.

Kits and packouts

The products referenced on this Certificate may also be combined with other 3M products into a kit or packout. There will be no change to the product, but the User Information may vary, in such instances the applicable Technical File(s) will be updated with the appropriate information.

First Issued: 2022-11-01
Latest Issue: 2024-10-11

Effective Date: 2024-10-11
Expiry Date: 2027-10-31

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

EU Type Examination Certificate

No. CE 773240

Certificate Administration Details

Technical File Reference:

Item	Technical File
3M™ Push-To-Fit Earplugs	TF0691

Certificate Amendment Record:

Issue date	Comments	BSI Review No.
November 2022	First issue.	2797:22:3701485
October 2024	Removal of E-A-R Flexible Fit HA Earplugs	2797:24:30162846

Certificate validity

The Certificate holder is responsible for ensuring that the Notified Body is advised of changes to any aspect of the overall process utilised in the manufacture of the product, failure to do so could invalidate the Certificate in respect of product manufactured following the introduction of such changes.

The validity of the Certificate for the products is also dependent on the maintenance of the EU Conformity to Type based on Internal Production Control plus supervised product checks at random intervals, Annex VII (Module D) as referenced on BSI issued Certificate CE 595701.

First Issued: 2022-11-01

Latest Issue: 2024-10-11

Effective Date: 2024-10-11

Expiry Date: 2027-10-31

Page: 6 of 6

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.