Product Name : Print Cartridge Yellow SP C310HE (Yellow toner) MSDS Number : 406482 Date Prepared : 01/11/2008 Date Modified : 04/04/2012 Date : 05/06/2014

# **RICOH**

Safety Data Sheet (ISO form)

# 1. Product and Company Identification

Product Name	Print Cartridge Yellow SP C310HE (Yellow toner)
General Use	:The Image Formation of Printing Machine or Copier
MSDS Number	:406482
Company Name	:Ricoh Company,Ltd.
Department	Environment Safety Center, Corporate Environment Division
Address	:146-1 Nishisawada, Numazu-shi, Shizuoka-ken, 410-0007 Japan
Telephone Number	:055-920-1470, Japan
Telefax Number	:055-920-1479, Japan
E-mail	:msdsinfo@nts.ricoh.co.jp
Composition /In	formation on Ingradianta

### 2.Composition/Information on Ingredients

Substance or Preparation Preparation

Chemical Formula	CAS.No.	Contents(%)			
Confidential	Confidential	40-60			
Confidential	Confidential	30-50			
C36H32N10O8	77804-81-0	1–10			
Confidential	Confidential	1–5			
Confidential	Confidential	1-5			
Confidential	Confidential	1-5			
	Confidential Confidential C36H32N10O8 Confidential Confidential	ConfidentialConfidentialConfidentialConfidentialC36H32N10O877804–81–0ConfidentialConfidentialConfidentialConfidentialConfidentialConfidential			

This product does not contain any of the following substances as ingredients. Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), SVHC (substances of very high concern: published by ECHA). And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

# 3. Hazards Identification

The Most Important Hazards Adverse Human Health Effects There are no significant hazards expected with intended use. Environmental Effects There are no significant hazards expected with intended use. Physical and Chemical Hazards There are no significant hazards expected with intended use. Specific Hazards Dust explosion (like most finely grained organic powders)

Main Symptoms
Acute Inhalation Toxicity

Exposure to excessive amount of dust may cause physical irritation to respiratory tract.

Acute Oral Toxicity

Low acute toxicity in animal experiment.

Acute Eye Irritation

May cause slight transient irritation.

Acute Skin Irritation

May be non-irritant.

Sensitization

From test no apparent significant hazards are expected . (Only few cases reported on incidental allergy-related conjunctivitis or dermatitis.)

Chronic Effect

Slight pulmonary fibrosis has been reported in rats upon chronic inhalation exposure to a toner at 4mg/m3 every day for 2 years. No pulmonary change was found at 1mg/m3. These findings show

that exposure to excessive amounts of powder may cause damage to lungs. However, normal use and handling of this product as intended, does not result in inhalation of excessive amounts of powder.

### Carcinogenicity

This product does not contain the substances classified as carcinogenic by NTP, IARC or OSHA. The Classification of The Chemical Product

This preparation is not classified as dangerous according to Directive 1999/45/EC.

# 4.First-Aid Measures

Inhalation

Remove from exposure into fresh air and rinse mouth with water. Seek medical advice. Skin Contact

Wash thoroughly with soapy water. Eye Contact

Flush with a large amount of water until particles are removed. Seek medical advice. Ingestion

Drink several glasses of water to dilute ingested toner. Seek medical advice. Notes to a physician

Not applicable

### 5.Fire-Fighting Measures

Extinguishing Media

CO2,dry chemicals,foam or water. Extinguishing Media to Avoid

Not applicable. Specific Hazards

Can form explosive dust-air mixtures when finely dispersed in air. Specific Method

No special fire protecting method is required. Sprinkling or fire extinguishers can be used. Protection of Fire-fighters

Wear gloves, glasses, a mask if necessary.

#### 6.Accidental Release Measures Personal Precautions

Do not breathe in dust. Environment Precautions

Do not flush into sewers or watercourses. Methods for Cleaning Up

Fine powder may form explosive dust-air mixture.Confirm there is no source of fire and if there is a source,remove it.Sweep up spilled powder slowly and clean reminder with wet cloth.If a vacuum cleaner is used,a dust explosion-proof type must be chosen.

# 7.Handling and Storage

Handling Technical Measures/Precautions Not applicable Safe Handling Advice Do not handle in areas where there is wind or draught, this may cause dust to get into eyes. Avoid breathing in dust. Storage Technical Measures Not applicable Storage Conditions Keep out of reach of children. Store in dry, well-ventilated area, to maintain quality the temperature should not exceed 35degrees centigrade for a long time. Avoid direct sunlight. Packaging Material Not applicable Specific Use(s) Image formation in printing machines or copiers.

# 8.Exposure Controls/Personal Protection Technical Measures

Use adequate ventilation. None required with intended use.

**Control Parameters** USA OSHA PEL (TWA) : 15mg/m3 (Total dust) 5.0mg/m3 (Respirable fraction) ACGIH TLV (TWA) : 10mg/m3 (Inhalable fraction) 3.0mg/m3 (Respirable fraction) DFG MAK : 4.0mg/m3 (Total dust) 1.5mg/m3 (Respirable fraction) Personal Protection **Respiratory Protections** None required in normal use. If the limit of exposure concentration is exceeded, use authorised respirator. Hand Protection Use vinyl or rubber gloves if necessary. Eye Protection Put on goggles if necessary. Skin and Body Protection Wear chemical-resistant apron or other impervious clothing if necessary. Hygiene Measures Wash hands after handling.

# 9. Physical and Chemical Properties

Appearance Physical State Form Colour Odour	: Solid : Powder : Yellow : Slightly plastic odour	
Boiling Point (d		
Decomposition centigrade)	Temperature (degrees	: Not available
	grees centigrade)	: Not applicable
Explosion Prope	erties (degrees centigrade)	: This product is considered a nonexplosive material under normal use.

Vapor Pressure (Pa) : Not applicable Vapor Density(AIR=1) : Not applicable Density (g/cm3) : Approx.1.2 Meas

Measuring Temp (degrees centigrade) : 25

Solubility Water Solubility (g/L) : Slightly soluble Chloroform Solubility (g/L) : Slightly soluble Octanol/Water Partition Coefficient Not available Other Information

: Not flammable
: Not applicable
: 0.2 or below

### 10.Stability and Reactivity

Stability Stable Hazardous Reaction Dust explosion, like most finely grained organic powders.

Conditions to Avoid Not applicable in normal use. Materials to Avoid Not applicable in normal use. Hazardous Decomposition Products Decomposition products will not occur.

# 11.Toxicological Information

Acute Toxicity Acute Oral Toxicity (LD50) : 5000 or over [mg/kg] (Rat) (Based on other product test results of similar ingredients.) Acute Dermal Toxicity : Not available Acute Inhalation Toxicity : Not available Local effects Acute Skin Irritation(PII) : 1.0 or below (Rabbit) (Based on other product test results of similar ingredients.) Acute Eye Irritation : Not available (Ingredients are not classified as dangerous according to Directive 67/548/EEC.) Sensitization Acute Allergenic Effects : 0 % (Marmot) (Based on other product test results of similar ingredients.) Specific Effects Carcinogenicity : This product does not contain the carcinogenic substances which are listed on NTP, IARC and OSHA.

Mutagenicity : Negative (Ames test) Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health.

### 12. Ecological Information

Persistence/Degradability :	No data are Not availabl Not availabl	
Ecotoxicity Acute Toxicity for Fis Acute Toxicity for Da (EC50)		: Not classified as toxic (EU Directive 1999/45/EC) : Not classified as toxic (EU Directive 1999/45/EC)
Algae Inhibition Test (	(IC50)	: Not classified as toxic (EU Directive $1999/45/EC$ )

# 13.Disposal Consideration

General information: Dispose of waste and residues in accordance with local authority requirements. Disposal methods: Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations. Precautions: Do not throw the toner cartridge or toner into an open flame. Hot toner may scatter and cause burns or other damage.

### 14.Transport Information

International Regulations Land Transport RID/ADR : Not applicable DOT 49 CFR : Not applicable ADNR : Not applicable Sea Transport IMDG Code : Not applicable Air Transport ICAO-TI/IATA-DGR : Not applicable The UN Classification Number : Not applicable Class : Not applicable Specific Precautionary Transport Measures and conditions Avoid direct sunlight in quality.

### **15.Regulatory Information**

Regulations EU Information Information on the label (1999/45/EC and 67/548/EEC) Symbols & : Not required Indications R-Phrase : Not required S-Phrase : Not required Special Precautions under 1999/45/EC Annex V : Not required 76/769/EEC This product complies with applicable rules and regulations under 76/769/EEC 304/2003/EC Not regulated **US** Information Information on the label : Not required TSCA (Toxic Substances Control Act) : This toner complies with all applicable rules and regulations under TSCA. SARA Title III 313 Reportable Ingredients : Not regulated California Proposition 65: Not regulated Canada Information WHMIS Controlled product : Not a controlled product

### 16.Other Information

NFPA Hazard Rating: National Fire Protection Agency (USA)

Health ; 1, Flammability ; 1, Reactivity ; 0 HMIS Rating : The National Paint and Coating Association (USA)

Health ; 1, Flammability ; 1, Reactivity ; 0

Literature References : ANSI Z400.1-1993 ISO 11014-1 IARC (1996) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon, pp149-261

H. Muhle, B. Bellman, O. Creutzenberg, C. Dasenbrock, H. Emst, R. Kilpper, J.C. MacKenzie, P. Morrow, U. Mohr, S. Takenaka and R. Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" Fundamental and Applied Toxicology 17, pp 280–299

IARC (2008) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.93"

NIOSH CURRENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for Occupational Exposure to Titanium Dioxide DRAFT"

ACGIH-TLV	: Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices		
OSHA Z-Table			
NTP (USA)	: US Department of Health and Human Services National Toxicology Program Annual Report on Carcinogens		
DFG-MAK	DFG List of MAK and BAT Value		
Symbol (EC)	: EU Directive 67/548/EEC		
91/155/ EEC	: EU Directive 91/155/ EEC		
1999/45/EC Ar	nnex V :EU Directive 1999/45/EC		
76/769/ EEC	: EU Directive 76/769/ EEC		
EC 304/2003	: Regulation (EC) No 304/2003 of the European Parliament and of the Council		
	of 28 January 2003 concerning the export and import of dangerous chemicals		
WHMIS Controll	ed product : Canada Workplace Hazardous Information System		
OELs-TWA (Au	stralia) : Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC: 3008 (1995)]		
Abbreviations			
OSHA PEL	PEL (Permissible Exposure Limit) under Occupational Safety and Health Act		
ACGIH-TLV	TLV (Threshold Limit Values) under American Conference of Governmental Industrial		
	Hygienists		
REACH	(EC)No.1907/2006:Council Regulation concerning the Registration, Evaluation,		
<b>a</b> ) // / <b>a</b>	Authorization and Restriction of Chemicals		
SVHC	Substances of Very High Concern		
ECHA	The European Chemicals Agency		
DFG-MAK	MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft		
RoHS	Restriction of the use of certain Hazardous Substances in Electrical and Electronic Equipment		
TWA	Time Weighted Average		
IARC			
	nternational Agency for Research on Cancer		
NTP	National Toxicology Program		
WHMIS	Workplace Hazardous Information System		
NOHSC	National Occupational Health and Safety Commission Act 1985		

Disclaimer :

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of RICOH COMPANY, LTD.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

RICOH COMPANY, LTD assumes no legal responsibility for use or reliance upon this information.