Material Safety Data Sheet

1. Item and supplier information

Item	Compatible BROTHER TZ series label tape	
Manufactory	Zhuhai Boyeezon Technology Co., Ltd	
Address	No. 2, ShengLi Road, Sanzao, Zhuhai, Guangdong, China,	
Phone	0756-8188906	

2. Component identification data

Ingredients	CAS.NO	Weight(%)	Hazard classification
ABS Resins	9003-56-9	53.2	N/D
stainless steel	12597-68-1	0.5	N/D
Polyethylene Terephthalate (PET film)	25038-59-9	14	N/D
Adhesive (acrylic adhesive)	9003-01-4	10	N/D
Backing Paper (Silicon paper)	9004-34-6	20.5	N/D
color pigments		0.6	N/D
Plastic Packing Bag (PE polyethylene)	9002-88-4	1.2	N/D

3. Hazard identification data

	Health hazard	Acute: N/D	Chronic: N/D	
Most important	Environment Effects N/D			
hazards and	Material and	N/D		
effects	chemical hazards			
	Special hazard	N/D		
The main	N/D			
symptoms	N/D			
Item hazard	N/D			
classification				

Zhuhai Boyeezon Technology Co., Ltd

Address: No. 2, ShengLi Road, Sanzao, Zhuhai, Guangdong, China,

4. First-aid

	Inhalation	The adhesive of the product has a certain smell, but no health hazard
Entering workers, Physical Dangers and	Skin contact	NO health hazard
Rescue Methods	Eyes contact	No Health Hazard
	Devour	A small amount of swallowing has no health hazards. If a large amount of food is swallowed, the plastic will not be digested and discharged.
Important symptoms and harmful effects	N/D	
First-aid Protection	N/D	
Tips from Physicians	N/D	

5. Fire Emergency Rescues

Fire extinguishing material	Chemical dry powder, carbon dioxide, foam, dry powder, water
Special Firefighting	N/D
procedure	
Encounter special	N/D
hazards from Fire	
Special firefighter	Appropriate protective gear should be worn to avoid inhaling
protection	fumes that may be harmful

6. Leakage Solution

Personal	N/D
considerations	
Environmental	N/D
considerations	
Cleaning methods	N/D

7. Safe disposal and Storage method

Handling	Keep away from heat and fire	
Storage Precautions	Keep in dry, cool place and avoid direct sunlight	
	(recommended temperature 5-35°C)	

8. Exposure Prevention

Engineering Controls	N/D		
Personal	Inhalation	N/D	
Protections	Skin protection	N/D	
	Hand protection	N/D	
	Eyes protection	N/D	
Hygiene measures	General ventilation or local exhaust equipment		

9. Physical and Chemical Properties

Material State	Solid	Sense	No irritating smell	
Boiling Point	N/A	volatilization rate	N/A	
Vapor pressure	N/A	solubility	N/A	
Vapor density	N/A	insoluble	N/A	
Acid-base	N/A	Viscosity	N/A	
Melting point	N/A	Viscosity	Square shape, internal label into a roll	
Color		The shell is usually gray or black, and the label color is various (white, yellow, black, gold, silver, blue, green, red, transparent, etc.		

10. Stability and Reactivity

Stability	Stability	Avoid	N/A
Hazard(Polymer)	NONE	Hazard(Decomposition)	Carbon monoxide, carbon dioxide, carbon and hydrogen, water

11. Toxic Information

Acute Toxicity	N/D	Chronic Toxicity	N/D
Sensitization	N/D	Long-term Toxicity	N/D
Effects	N/D	Special Effects	N/D

Zhuhai Boyeezon Technology Co., Ltd Address: No. 2, ShengLi Road, Sanzao, Zhuhai, Guangdong, China,

12. Ecological Information

Possible environmental impacts/ environments		
Volatile Organic Compound	N/D	
Residual water or solvent	N/A	

13. Disposal methods

Disposal method	Burn them after usage
Disposal method	

14. Transportation Information

International Shipping Regulations	N/D	Domestic Shipping	N/D
		Regulations	
Special shipping methods and precautions	N/D	·	

15. Regulatory Information

Applicable	No Specific Regulations
regulations	

16. Others

None